

LIGHTING SOLUTIONS

Designed to Suit Your Market

contents

- 3 LED Compact Work Light
- 4 Arc Light LED
- 4 Line Light LED
- 4 'SmartSpot' Warning Light
- 5 SmartArrow LED
- 5 SmartBeacon Range
- 5 Colour Change LED Mini Light Bar

LED Compact Work Light

Reliable, affordable lighting for harsh conditions

Representing the latest in high output lighting technology, the AusProTec™ Compact LED work light is robust, powerful and resistant to shock, vibration, dust and moisture.

With solid-state LED construction and a fully sealed housing (rated to IP67), this LED work light takes durability and reliability to the next level.

This work light features rugged and lightweight die-cast alloy housing, stainless steel mounting hardware, and virtually unbreakable polycarbonate optical lenses. Containing 4 x 3 watt LED's, this multi voltage unit has a 950 lumen output making it a perfect solution for your compact lighting application.


Specifications

Voltage	10 – 32 VDC
Output	950 lumen (4x 3 W LEDs)
Current Draw	0.5 A @ 24 V
Dimensions	92mm (H) x 70mm (W) x 29.4mm (D)
Beam Pattern	60° extra wide
Beam Distance	95m @ 1 lux

Parts

17534 Work Lamp 12W 9 - 32 V 0.5A LED

[view online](#)



SmartLight Awareness Technology

Be SAFE, Be SMART, Be SEEN



Arc Light LED

Available in blue and red beam, these lights are specifically designed to project a visual caution mark onto the floor of your warehouse, alerting nearby people and other machine users that a vehicle is approaching.

[view online](#)



Specifications

Voltage	9 - 80 VDC
Power	7 x 3 Watt Cree leds
Dimensions	130 x 150 x 80mm
Material	Diecast aluminium housing
Reflector and lens	Polycarbonate
Mounting bracket	Stainless steel
Termination	500mm flying lead
Waterproof rating	IP67
Hours lifespan	30,000+
Beam Pattern	Arc

SmartArrow LED

Available in a distinct blue beam, this light is specifically designed to project a directional arrow, as a visual caution onto the floor of your warehouse; alerting nearby personnel and other machine users of the direction that a vehicle is approaching.

[view online](#)



Specifications

Voltage	10 - 80 VDC
Power	10 W
Dimensions	82 x 80 x 80mm
Material	Diecast aluminium housing
Reflector and lens	Polycarbonate
Mounting bracket	Stainless steel
Termination	500mm flying lead
Waterproof rating	IP67
Hours lifespan	50,000

Line Light LED

Available in blue and red beam, these lights are specifically designed to project a visual caution mark onto the floor of your warehouse, alerting nearby people and other machine users that a vehicle is approaching.

[view online](#)



Specifications

Voltage	10 - 80 VDC
Power	5 x 3 Watt Cree leds
Dimensions	115 x 85.87 x 74mm
Material	Diecast aluminium housing
Reflector and lens	Polycarbonate
Mounting bracket	Stainless steel
Termination	500mm flying lead
Waterproof rating	IP67
Hours lifespan	30,000+
Beam Pattern	Line

SmartBeacon Range

The SmartBeacon range is a cost-effective solution for your visual alert needs. Available in three different sizes, this product has been specifically designed to alert nearby people and other machine users if a machine is operational.

[view online](#)



Specifications

	16180	16181	16182
Voltage	10 - 110 VDC	10 - 110 VDC	10 - 110 VDC
Power	10 W	15 W	15 W
Output	300 Lumen	450 Lumen	450 Lumen
Dimensions	130x130x95mm	75x75x160mm	95x95x130mm
Housing	Polycarbonate	Polycarbonate	Polycarbonate
Lens	Polycarbonate	Polycarbonate	Polycarbonate
IP rating	IP67	IP67	IP67
Hours lifespan	50,000	50,000	50,000

'SmartSpot' Warning Light

Available in blue and red beam, these lights are specifically designed to project a visual caution mark onto the floor of your warehouse, alerting nearby people and other machine users that a vehicle is approaching.

[view online](#)




Specifications

Voltage	9 - 80 VDC
Power	2 x 3 Watt Cree leds
Current Draw	0.49 A @ 9 V 0.027 A @ 80 V
Material	Diecast aluminium housing
Reflector and lens	Polycarbonate
Mounting bracket	Stainless steel
Termination	300mm flying lead
Waterproof rating	IP67
Beam Pattern	Spot

Colour Change LED Mini Light Bar

The AusProTec™ LED colour change light bar is cleverly designed to make surrounding personnel aware of a machine's status. A trigger wire will interchange the light from amber to green to convey whether the machine is safe to approach.

[view online](#)



Specifications

Voltage	12 - 30 VDC
Max Current Draw	3 A @ 12 V
Flash Patterns	14
Mounting	4 x M5 Bolts
Lens	Poly carbonate
Housing	Aluminium
Cable Length	0.4m
Weight	1kg
Light Source	4 x 4 LED Modules
Flash Colour	Amber / Green
Ingress Protection	IP67



rct-global.com

solutions@rct-global.com